

TÜNKERS

Swing clamps



 **TÜNKERS**[®]
Erfindergeist serienmäßig.



Swing clamps

[Also available online!](#)



SCBM 25-25




SCQ
Size 12 - 50



SCB
Size 12 - 63

Swing clamps are suitable for many clamping tasks in automation. Swing clamps have particular advantages when the workpiece is inserted and removed from above. The clamping process consists of a 90° rotation with partial lowering. This is followed by the linear clamping stroke. Within the clamping stroke, the clamping force is constant, thus component fluctuations can be compensated. With all TUNKERS swivel clamps, position sensing can be carried out with magnetic switches.


SCBM 25




[data sheet size 25](#)

- Swing clamp in block design
- Completely encapsulated
- 90° swivel range
- Aluminium base body with integrated pneumatic cylinder and swivel mechanism
- Options:
 - Magnetic switch
 - Clamping arms (see accessories)

size 25
Clamping force: 170 N



SCQ



[data sheet size 25-50](#)
[data sheet size 20](#)
[data sheet size 12-16](#)

- 90° swivel range
- optional right or left swivelling
- Base body made of aluminium with integrated pneumatic cylinder and swivel mechanism
- Square basic shape
- Optional:
 - Clamping arms s. accessories

SCB

Slim design

Size 12-63

Clamping force: 37N – 1100N



[data sheet size 12-16](#)


[data sheet size 20](#)

[data sheet size 25-63](#)

- Swing clamp in flat design
- optionally swivelling right or left
- 90° swivel range
- Base body made of aluminium with integrated pneumatic cylinder and swivel mechanism
- Multilateral mounting options
- Options:
 - Magnetic switch
 - Clamping arms (see accessories)

datasheet, CAD,
accessories


More information: [tuenkers.de](https://www.tuenkers.de)



SCBM 25-25 Mini Swivel Cla...




SCT... Swing Clamp



SCB... Swing Clamp



SCQ... Swing Clamp, small co...



Accessories for Swing Clamps

Contact

TÜNKERS Maschinenbau GmbH
Christian Eickhoff
Am Rosenkothen 4-12
40880 Ratingen

Telefon+49 (0) 2102-45 17-290
Telefax+49 (0) 2102-45 17-9999

E-Mail info@tuenkers.de / christian.eickhoff@tuenkers.de
Internet www.tuenkers.de



THANK You



 **TÜNKERS**[®]
Erfindergeist serienmäßig.

